

**LTFO AD 2.1 AERODROME LOCATION INDICATOR AND NAME****LTFO - RİZE - ARTVİN****LTFO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	411047N-0405056E, in the middle of RWY
2	Direction and distance from (city)	34 KM NE of Rize, 125 KM NW of Artvin
3	Elevation/Reference temperature / Mean low temperature	16 FT / 28°C / 4°C
4	Geoid Undulation at AD ELEV PSN	73 FT
5	MAG VAR/Annual change	6.7°E (2021) / 0.068° increasing
6	AD Operator, address, telephone, telefax, AFS, email, website	Rize - Artvin Havalimanı Müdürlüğü Pazar / Rize / TURKEY
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	NIL

**LTFO AD 2.3 OPERATIONAL HOURS**

1	AD Operator	See NOTAM
2	Customs and immigration	As AD Working Hours
3	Health and sanitation	As AD Working Hours
4	AIS Briefing Office	As AD Working Hours
5	ATS Reporting Office (ARO)	As AD Working Hours
6	MET Briefing Office	As AD Working Hours
7	ATS	As AD Working Hours
8	Fueling	As AD Working Hours
9	Handling	As AD Working Hours
10	Security	H24
11	De-icing	As AD Working Hours
12	Remarks	NIL

**LTFO AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Not available
2	Fuel and oil types	Jet A-1
3	Fuelling facilities and capacity	By tanker; 35M <sup>3</sup>
4	De-icing facilities	Available
5	Hangar space for visiting aircraft	Not available
6	Repair facilities for visiting aircraft	Not available
7	Remarks	NIL

## LTFO AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city
2	Restaurants	At AD
3	Transportation	Taxi and car rental
4	Medical facilities	First-aid, medical room and ambulance at AD, Hospital in Pazar district
5	Bank and Post Office	-
6	Tourist Office	-
7	Remarks	NIL

## LTFO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 7
2	Rescue equipment	Available.
3	Capability for removal of disabled aircraft	Vehicles are provided from the public organizations for narrow body aircraft on request of airline operator. Ankara Esenboga, Istanbul Atatürk or Antalya airports provides facilitation for large body aircraft on request of airline operator.
4	Remarks	The control of the actual lifting and removal of a large aircraft shall be the responsibility of the registered owner or operator concerned. If the registered owner or operator cannot remove the aircraft or is dilatory in doing so, the airport management should have authority to act for the owner or operator with minimum delay and this action will be charged according to tariff table of DHMI.

## LTFO AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	Snow removal equipment (Mechanical), Chemical de-icing.
2	Clearance priorities	Standard. See AD 1.2.2
3	Remarks	Braking action assessment by RWY friction tester equipment/vehicle

## LTFO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Apron A: Surface: Concrete. Strength: Apron B, C (Military): Surface: Concrete. Strength:
2	Taxiway width, surface and strength	TWY A: Width: 24 M. Surface: Asphalt TWY B, C (Military): Width: 24 M. Surface: Asphalt
3	Altimeter Check Point location and elevation	At Apron A: Elev: -
4	VOR checkpoints	-
5	INS checkpoints	-
6	Remarks	NIL

## LTFO AD 2.9 SURFACE MOVEMENT GUIDANCE, CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxing guidance signs lighted and available at all intersections with TWY and RWY and at all holding positions. Guidelines and aircraft stand numbers available.
2	RWY and TWY markings and LGTD	-

3	Stop bars Runway guard lights	Stop bars: Available for all TWYs Runway Guard Light: Available for all TWYs
4	Other runway protection measures	-
5	Remarks	NIL

**LTFO AD 2.10 AERODROME OBSTACLES**

An electronic file of AD obstacles is available from the link LTFO AD 2.10 under obstacle folder via AIP Turkey link on <https://www.dhmi.gov.tr>

**LTFO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	Rize-Artvin
2	Hours of service MET Office outside hours	As AD Working Hours
3	Office responsible for TAF preparation Periods of validity	Trabzon 24 HR
4	Type of landing forecast Interval of issuance	TREND 1/2 HR
5	Briefing/consultation provided	Personal consultation
6	Flight documentation / Language(s) used	Charts abbreviated plain language text. TU-EN
7	Charts and other information available for briefing or consultation	Surface and upper air actual and prog. Charts SIGWX, UL W/T, MODEL TA-M
8	Supplementary equipment available for providing information	Telefax, VSAT, ADSL PC connection
9	ATS units provided with information	Rize-Artvin Control TWR
10	Additional information (limitation of service, etc.)	Aerodrome Warnings

**LTFO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end Coordinates THR Geoid Undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
06	069.92	3000x45	Asphalt	411031.59N- 0404954.97E - GUND: 73 FT	THR: 16 FT / 5.0 M TDZ: 16 FT / 5.0 M
24	249.92	3000x45	Asphalt	411103.00N- 0405156.77E - GUND: 73 FT	THR: 16 FT / 5.0 M TDZ: 16 FT / 5.0 M

Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	* RESA (M)	Arresting System	OFZ	Remarks
7	8	9	10	11	12	13	14
-	-	-	3120x280	240x210	-	-	* CBR can vary within RESA due to meteorological conditions.
-	-	-	3120x280	240x210	-	-	

**LTFO AD 2.13 DECLARED DISTANCES**

RWY	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
06	3000	3000	3000	3000	NIL
24	3000	3000	3000	3000	

**LTFO AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centre Line LGT Length, spacing, color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color WBAR	SWY LGT LEN (M) color	Remarks
1	2	3	4	5	6	7	8	9	10
06	Precision APP Barette System Cat I 900M of which 900M is flashing LIH	Green	PAPI (Left)	-	-	3000 M 60M, color/coded White/Yellow, LIH	Red	-	NIL
24	Precision APP Barette System Cat I 900M of which 900M is flashing LIH	Green	PAPI (Left)	-	-	3000 M 60M, color/coded White/Yellow, LIH	Red	-	

**LTFO AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	ABN: Flg. W.G. at top of TWR. H24
2	LDI location and LGT Anemometer location and LGT	LDI: Not available
3	TWY edge and centre line lighting	Edge, All TWYs
4	Secondary power supply/switch-over time	Available. 0 second
5	Remarks	Apron: LGTD, Signs: LGTD, Turn Pad: LGTD

**LTFO AD 2.16 HELICOPTER LANDING AREA - NIL**

**LTFO AD 2.17 ATS AIRSPACE**

1	Designation and lateral limits	CTR Centered on 411047N-0405055E with radius 5 NM
2	Vertical limits	3500 FT AMSL / SFC
3	Airspace classification	NIL
4	ATS unit call sign Language(s)	Rize-Artvin TWR TU-EN
5	Transition altitude	15000 FT
6	Remarks	APP Service is provided by: a) Rize-Artvin APP b) Rize-Artvin TWR when required or transferred by Rize-Artvin APP.

**LTFO AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
TWR	Rize-Artvin TWR	126.75 MHz 372.85 MHz *121.5 MHz *243.0 MHz	HO	* Emergency
	Ground	121.8 MHz	HO	
APP	Rize-Artvin APP	127.15 MHz	HO	
SAR	Rize-Artvin Rescue Subcenter	123.1 MHz 282.8 MHz	HO	

**LTFO AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, CAT of ILS/MLS (For VOR/ILS/MLS, give VAR)	ID	Frequency	Hours of operation	Site of transmitting antenna Coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
VOR/DME	ART	110.45 MHz CH41Y	H24	411048.8N-0405131.4E	-	NIL
NDB	ART	347 KHZ	H24	411048.8N-0405131.4E		
LLZ RWY 06 ILS CAT I	IART	110.9 MHz	H24	411106.5N-0405208.8E		
GP		330.8 MHz	H24	411038.4N-0405005.9E		
DME	IART	CH46X	H24	411038.4N-0405005.9E	-	

**LTFO AD 2.20 LOCAL AERODROME REGULATIONS****LTFO AD 2.21 NOISE ABATEMENT PROCEDURES - NIL****LTFO AD 2.22 FLIGHT PROCEDURES****LTFO AD 2.23 ADDITIONAL INFORMATION**

---

**LTFO AD 2.24 AERODROME CHARTS**

Aerodrome Chart	AD 2 LTFO ADC
Aircraft Parking/Docking Chart	AD 2 LTFO PRKG

AD 2 LTFO ADC  
30 DEC 21

# RIZE-ARTVIN




AIRCRAFT  
PARKING/DOCKING  
CHART - ICAO

APRON ELEV  
XXXX M

TWR : 126.750 - 127.150  
GND : 121.800  
ATIS : -

RİZE-ARTVİN



INS COORDINATES FOR AIRCRAFT STANDS

APRON  
SURFACE : CONCRETE  
STRENGTH :

TWY A  
WIDTH : 24M  
SURFACE : ASPHALT  
STRENGTH :

CHANGE: NEW CHART