

**AD 3.74 MESSINIA / NAVARINO****AD 3.74.1 HELIPORT NAME AND INDICATORS**

1. Location Indicator	2. Name	3. Grouping Indicator
NIL	MESSINIA / NAVARINO	P/HEL

**AD 3.74.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	Heliport reference point coordinates and site at heliport	365618.00N 0214259.00E, geometric centre of FATO
2	Direction and distance from (city)	At location "Costa Navarino", Pílokompos Messinia.
3	Elevation/Reference temperature	5 M (16 FT) / NIL
4	Geoid undulation at ELEV PSN	NIL
5	MAG VAR/Annual change	NIL / NIL
6	Heliport Administration, address, telephone, telefax,, AFS	TEMES SA TEL: +30 6979722682 e-mail: Triantafyllos.Giovanekos@costanavarino.com
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	PPR by the owner. Supervised by CAA

**AD 3.74.3 OPERATIONAL HOURS**

1	Heliport Administration	HX
12	Remarks	HX: daily hours O/R

**AD 3.74.4 HANDLING SERVICES AND FACILITIES**

NIL

**AD 3.74.5 PASSENGER FACILITIES**

NIL

**AD 3.74.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	2
4	Remarks	NIL

**AD 3.74.7 SEASONAL AVAILABILITY - CLEARING**

NIL

**AD 3.74.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

NIL

**AD 3.74.9 MARKINGS AND MARKERS**

1	Final approach and take-off markings	Heliport identification (H), TLOF edge, TDZ marking.
2	TWY, air TWY, air transit route markers	NIL
3	Remarks	NIL

**AD 3.74.10 HELIPORT OBSTACLES**

In Area 2					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	OBST type	OBST position	ELEV / HGT	Markings/ Type, colour	Remarks
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

**AD 3.74.11 METEOROLOGICAL INFORMATION PROVIDED**

NIL

**AD 3.74.12 HELIPORT DATA**

1	Heliport type	Surface level
2	TLOF dimensions	18.70 X 18.70 M
3	FATO, GEO bearings	90° / 270° GEO
4	FATO dimensions and SFC type	18.70 X 18.70 M , concrete
5	TLOF, SFC and BRG strength	concrete
6	Coordinates of geometric centre TLOF or THR of FATO and geoid undulation	TLOF: 365618.00N 0214259.00E / NIL
7	TLOF/FATO, elevation and slope	TLOF: 5 M (16 FT) / NIL
8	Safety area dimensions	37.40 X 37.40 M width
9	HEL CWY dimensions	NIL
10	Obstacle free sector	NIL
11	Remarks	To be used by helicopters with maximum length 18.70 M.

**AD 3.74.13 DECLARED DISTANCES**

NIL

**AD 3.74.14 APPROACH AND FATO LIGHTING**

2	Type of visual approach slope indicator system	NIL
5	TLOF LGT system characteristics and location	NIL
6	Remarks	NIL

**AD 3.74.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	Heliport BCN location and characteristics Hours of operation	NIL
2	WDI location and LGT	South of FATO, lighted
4	Secondary power supply/switch-over time	NIL
5	Remarks	NIL

**AD 3.74.16 ATS AIRSPACE**

NIL

**AD 3.74.17 ATS COMMUNICATION FACILITIES**

NIL

**AD 3.74.18 ATS RADIO NAVIGATION AND LANDING AIDS**

NIL

**AD 3.74.19 LOCAL TRAFFIC REGULATIONS****3.74.19.1 Heliport regulations**

3.74.19.1.1 The heliport will be used exclusively for the needs of the owner as well as for the needs of persons who have obtained the permission of the owner.

**AD 3.74.20 NOISE ABATEMENT PROCEDURES****3.74.20.1** NIL**AD 3.74.21 FLIGHT PROCEDURES****3.74.21.1 General**

3.74.21.1.1 All flights shall be conducted according to AIP Greece Part 2 En Route (ENR) provisions.

3.74.21.1.2 Prior any helicopter departure or arrival, coordination with LGKL ATS unit (see **LGKL AD 2.18**) is required.

3.74.21.1.3 Heliport can be used only during day time and under VMC conditions.

3.74.21.1.4 Helicopter flights to and from the heliport shall be conducted according to AIP Greece **ENR 1.2** Visual Flight Rules.

**AD 3.74.22 ADDITIONAL INFORMATION****3.74.22.1** NIL**AD 3.74.23 CHARTS RELATED TO THE HELIPORT**

NIL